KLASSIFIZIERUNG DES ANMELDUNG. PK 7 B29C49/46 B29 UNG\_ GENSTANDES B29C49/12 A. KLASS B29K67/00 B29L22/00

Nach der Internationalen Patentklassifikation (IPK) oder nach der nationalen Klassifikation und der IPK

### **B. RECHERCHIERTE GEBIETE**

Recherchierter Mindestprufstoff (Klassifikationssystem und Klassifikationssymbole) IPK 7 B29C

Recherchierte aber nicht zum Mindestprufstoff gehörende Veröffentlichungen, soweit diese unter die recherchierten Gebiete fallen

Wahrend der internationalen Recherche konsultierte elektronische Datenbank (Name der Datenbank) und evtl. verwendete Suchbegriffe)

EPO-Internal, PAJ, WPI Data

Kalegone°	Bezeichnung der Veröffeitlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile	Betr Anspruch Nr
Y	GB 1 026 056 A (CONTINENTAL CAN) 14. April 1966 (1966-04-14) Abbildungen	1,2,7,11
Y	WO 97 13632 A (COLLOMBIN ANDRE M ;TETRA LAVAL HOLDINGS & FINANCE (CH)) 17. April 1997 (1997-04-17) Abbildungen	1,2,7,11
A	WO 98 06559 A (MOCK ELMAR ;CREATEC PATENT HOLDING (LU)) 19. Februar 1998 (1998-02-19) in der Anmeldung erwähnt Zusammenfassung; Abbildungen 	1
	-/	

X	Weitere Veröffentlichungen sind der Fortsetzung von Field Cizuentnehmen

Siehe Anhang Patentfamilie

- Besondere Kategorien von angegebenen Veroffentlichungen
- 'A' Veröffentlichung, die den allgemeinen Stand, der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist.
- \*E\* alteres Dokument, das jedoch erst am oder inach dem internationalen. Anmeldedatum veröffentlicht worden ist
- Veröffentlichung, die geeignet ist, einen Phoritatsanspruch zweifelhaft er scheinen zu lassen, oder durch die das Veröffentlichungsdatum einer anderen im Recherchenbericht genannten Veröffentlichung belegt werden ist soll oder die aus einem anderen besonderen Grund angegeben ist (wie ausgeführt)
- \*()\* Veröffentlichung die sich auf eine mundliche Offenbarung, eine Benutzung, eine Ausstellung oder andere Maßnahmen bezieht \*P\* Veröffentlichung, die vor dem internationalen. Anmeldedatum, aber nach. dem beansprüchten Pnorifatsdatum veröffentlicht worden ist
- \*1\* Spätere Veröffentlichung, die nach dem internationalen Anmeldedatum oder dem Pnoritafsdatum veröffentlicht worden, ist und mit der Anmeldung nicht kollidiert, sondern nur zum. Verständnis des der Erfindung zugrundeliegenden Prinzips oder der ihr zugrundeliegenden Theorie angegeben ist
- \*X\* Veröffentlichung von besonderer Bedeutung, die beansprüchte Erfindung kann allein aufgrund dieser Veröffentlichung, nicht als neu oder auf erfinderischer Tatigkeit berühend betrachtet werden
- Veroffentlichung von besonderer Bedeutung, die beansprüchte Erfindung kann nicht als auf erfinderischer Taligkeit berühend betrachtet werden, wenn die Veröffentlichung mit einer oder mehreren anderen. Veröffentlichungen dieser Kategorie in Verbindung gebracht wird und diese Verbindung für einen Fachmann nahellegend ist
- \*&\* Veroffentlichung, die Mitglied derselben Patentfamilie ist

Absendedatum des internationalen Recherchenbenchts

Datum des Abschlusses der internationalen Recherche

## 17. November 2000

Name und Postanschrift der Internationalen Recherchenbehorde Europaisches Patentamt, P.B. 5818 Patentiaan 2

NL - 2280 HV Rijswijk Tel (+31-70) 340-2040, Tx-31-651 epo nl Fax (+31 70) 340 3016

## 24/11/2000

Bevollmachtigter Bediensteter

Kosicki, T

Internationales Aktenzeichen

'EP 00/06604

	ung) ALS WESENTLICH ANGE1ENE UNTERLAGEN	
Kategone <sup>。</sup>	Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile	Betr. Anspruch Nr.
A	PATENT ABSTRACTS OF JAPAN vol. 005, no. 076 (M-069), 20. Mai 1981 (1981-05-20) & JP 56 027330 A (YOSHINO KOGYOSHO CO LTD), 17. März 1981 (1981-03-17) Zusammenfassung	1
Α .	US 4 214 860 A (KLEIMENHAGEN GUNTER ET AL) 29. Juli 1980 (1980-07-29) Abbildungen	1,2
į		

International Application No

'EP 00/06604

						_
	t document search report		Publication date		Patent family member(s)	Publication date
GB 10	026056	A		NONE		
WO 97	 713632	Α	17-0 <b>4</b> -1997	CH	690002 A	15-03-2000
				AT	191394 T	15-04-2000
				AU	6887396 A	30-04-1997
				BR	9611021 A	13-07-1999
				DE	69607636 D	11-05-2000
				EP	0854780 A	29-07-1998
				JP	11513331 T	16-11-1999
WO 98	 806559	Α	19-02-1998	AU	3691097 A	06-03-1998
				EP	0923446 A	23-06-1999
JP 56	 5027330	Α	17-03-1981	JP	1365582 C	26-02-1987
				JP	61032978 B	30-07-1986
IIS 42	 214860	Α	29-07-1980	DE	2742693 A	05-04-1979
''		• •		FR	2403878 A	20-04-1979
				GB	2004805 A,B	11-04-1979
				JP	1380863 C	28-05-1987
				JP	54093062 A	23-07-1979
				JP	61045524 B	08-10-1986

# VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT / DEM GEBIET DES PATENTWF IS

# **PCT**

## INTERNATIONALER RECHERCHENBERICHT

(Artikel 18 sowie Regeln 43 und 44 PCT)

Aktenzeichen des Anmelders oder Anwalts	WEITERES	siehe Mitteilung über d	lie Übermittlung des internationalen formblatt PCT/ISA/220) sowie, soweit				
S tetra122-e	VORGEHEN	zutreffend, nachstehen	nder Punkt 5				
internationales Aktenzeichen	Internationales Anmelde	edatum	(Frühestes) Prioritätsdatum (Tag/Monat/Jahr)				
PCT/EP 00/06604	(Tag/Monat/Jahr) 12/07/20	000	16/08/19 <del>9</del> 9				
Anmelder	<u></u>						
TETRA LAVAL HOLDING & FINA	NCE S.A.						
Dieser internationale Recherchenbericht wurd	de von der Internationalen	Recherchenbehörde e	erstellt und wird dem Anmelder gemäß				
Artikel 18 übermittelt. Eine Kopie wird dem In	iternationalen Buro uberm	ittelt.					
Dieser internationale Recherchenbericht umf	aßtinsgesamt 3	Blätter.					
		sem Bericht genannten	unterlagen zum Stand der Technik bei.				
Grundlage des Berichts     Winnightlich des Sprenhe ist die inte	ornationale Bookoroko out	der Grundlage der inte	ernationalen Anmeldung in der Sprache				
a. Hinsichtiich der Sprache ist die Inte durchgeführt worden, in der sie ein	gereicht wurde, sofern unt	er diesem Punkt nichts	anderes angegeben ist.				
Die internationale Recherch Anmeldung (Regel 23.1 b))	ne ist auf der Grundlage e durchgeführt worden.	iner bei der Behörde ei	ngereichten Übersetzung der internationalen				
b Hinsichtlich der in der internationale	en Anmeldung offenbarter	Nucleotid- und/oder	Aminosāuresequenz ist die internationale				
Recherche auf der Grundlage des in der internationalen Anme	Sequenzprotokolls durchg	eführt worden, das					
zusammen mit der internati			ngereicht worden ist.				
bei der Behörde nachträglic							
bei der Behörde nachträglic		_	ist.				
Die Erklärung, daß das nac internationalen Anmeldung	chträglich eingereichte sch im Anmeldezeitpunkt hina	nriftliche Sequenzprotok ausgeht, wurde vorgele	koll nicht über den Offenbarungsgehalt der gt.				
Die Erklärung, daß die in o wurde vorgelegt.	omputerlesbarer Form erfa	aßten Informationen de	m schriftlichen Sequenzprotokoll entsprechen,				
2. Bestimmte Ansprüche ha	ben sich als nicht reche	erchierbar erwiesen (s	iehe Feld I).				
3. Mangelnde Einheitlichkei							
4. Hinsichtlich der Bezeichnung der Erfi							
wird der vom Anmelder ein	•	_					
X wurde der Wortlaut von der Behörde wie folgt festgesetzt: VORRICHTUNG ZUR HERSTELLUNG VON KUNSTSTOFFBEHÄLTERN MITTELS STRECKBLASFORMEN							
UNTER VERWENDUNG EINES			•				
			-				
5. Hinsichtlich der Zusammenfassung	anniahan Menaka (	mia*					
wird der vom Anmelder ein wurde der Wortlaut nach F Anmelder kann der Behörd Recherchenberichts eine S	legel 38.2b) in der in Feld de innerhalb eines Monats	III angegebenen Fassu	ung von der Behörde festgesetzt. Der Absendung dieses internationalen				
6. Folgende Abbildung der <b>Zeichnungen</b>	ist mit der Zusammenfas	sung zu veröffentlichen	: Abb. Nr				
wie vom Anmelder vorgese	-		keine der Abb.				
weil der Anmelder selbst k							
weil diese Abbildung die E	rfindung besser kennzeich	nnet.					

# Translation

## PATENT COOPERATION TRE/

# **PCT**

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference  S tetra 122-e	FOR FURTHER ACTIO	ON See Notific Preliminary	cation of Transmittal of Internationa Examination Report (Form PCI/IPEA/416
international application No. PCT/EP00/06604	International filing date (d 12 July 2000 (1		Priority date (day: month year) 16 August 1999 (16.08.99)
International Patent Classification (IPC) or B29C 49/46	national classification and IP	(°	
Applicant TET	RA LAVAL HOLDING	SS & FINANC	E S.A.
This international preliminary ex Authority and is transmitted to the	amination report has been applicant according to Articl	prepared by this e 36.	International Preliminary Examining
2. This REPORT consists of a total o			
have amonded and are the	nanied by ANNEXES, i.e., shasis for this report and/or slon 607 of the Administrative	icets containing o	tion, claims and/or drawings which have ectifications made before this Authority the PCT)
These annexes consist of a	a total of shee	<b>:1</b> 5.	
3. This report contains indications re	lating to the following items:		
Basis of the repo	ort		
II Priority			
III Non-establishme	ent of opinion with regard to	novelty, inventive	step and industrial applicability
IV Lack of unity of			
V Reasoned staten	nent under Article 35(2) with planations supporting such st	regard to novelty, atement	, inventive step or industrial applicability;
VI Certain docume	nts cited		
	in the international application	n	
Y" L_	itions on the international app		
Date of submission of the demand	i	Date of completion	of this report
22 February 2001 (2	2.02.01)	06 1	December 2001 (06.12.2001)
Name and mailing address of the IPEA.I	(P /	Authorized officer	
1		Felephone No	

national application No.

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

PCT/EP00/06604

1. This report has been drawn on the basis of (Replacement sheets which have been furnished to the receiving Office in response to an initiation under Article 14 are referred to in this seport as "originally filed" and are not annexed to the report since they do not contain amendments.)  the international application as originally filed.  pages
the description. pages
pages
pages
pages
the claims,  Nos
Nos
Nos, as amended under Article 19,  Nos, filed with the demand,  Nos, filed with the letter of
Nos
Nos
the drawings, sheets/fig
sheets/fig, filed with the demand, sheets/fig, filed with the letter of sheets/fig, filed with the letter of
sheets/fig, filed with the demand, sheets/fig, filed with the letter of sheets/fig, filed with the letter of
sheets/fig
sheets/fig, filed with the letter of
the description, pages the claims, Nos the drawings, sheets/fig  This report has been established as if (some of) the amendments had not been made, since they have been considered
the description, pages the claims, Nos the drawings, sheets/fig  This report has been established as if (some of) the amendments had not been made, since they have been considered
the claims, Nos the drawings, sheets/fig  This report has been established as if (some of) the amendments had not been made, since they have been considered
the drawings, sheets/fig  This report has been established as if (some of) the amendments had not been made, since they have been considered
This report has been established as if (some of) the amendments had not been made, since they have been considered
This report has been established as if (some of) the amendments had not been made, since they have been considered  3. This report has been established as if (some of) the amendments had not been made, since they have been considered  3. This report has been established as if (some of) the amendments had not been made, since they have been considered
3. Ligo beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).  4. Additional observations, if necessary:
4. Additional observations, if necessary.

INTERNATIONAL PR MINARY EXAMINATION REPORT

CT/EP 00/06604

	ed statement under Article 35 is and explanations supportin		y, inventive step or industrial applic	ability;
Stater	ment			
Nov	velty (N)	Claims	1-13	YES
		Claims		NO
Inve	entive step (IS)	Claims		YES
		Claims	1-13	NO
Inde	ustrial applicability (IA)	Claims	1-13	YES
		 Claims		NO
Cita	ations and explanations			
₽.o	forence is made	to the follow	ing documents:	
01	: GB-A-1 026 C	)56 (CONTINENT)	AI, CAN) April 14, 1	996
D2	: WO 97 13632	(COLLOMBIN AN	DRE M; LAVAL HOLDIN	GS &
	FINANCE (CH)	) April 17, 1	997	
213	: WO 98 06559	(MOCK ELMAR;	CREATEC PATENT HOLD	ING
	(LU)) Februa	ry 19, 1998,	identified in the	
	application.			
[14	: US-A-4 214 8	60 (KLEIMENHA	GEN GUNTER ET AL) J	aly 29,
	1980			
1.5	: PATENT ABSTR	RACTS OF JAPAN	vol. 005, no. 076	(M-069),
	May 20, 1981	§ JP 56 0273	30 A (YOSHINO KOGYO	зно со
	LTD), March	17, 1981.		
ì.	Hovelty			
	None of the	documents cite	ed in the search rep	part.
	shows all th	e features of	independent Claim	l. Claim
	1 can theref	ore be conside	ered novel in accord	lance
	with PCT Art	icle 33(2).		
? <u>}</u>	Inventive st	en		

2.1 Independent Claim 1

Document D3 can be seen as the closest prior art to the subject matter of Claim 1; D3 discloses in Fig. 3 the following features of the claim (the references in parentheses relate to this document): a device for the production of containers 1 made from a plastic which can be formed by stretch blow moulding with a mould 2 whose inner space corresponds to the finished container 1, the container is held at its free end by a receptacle 18, with pipes connected to a dosing unit 21 being provided on the receptacle 18, a moveable stretch rod 13 is axially guided through the receptacle, an igniting device 15 is arranged to ignite an explosive gas mixture inside the container and heating and cooling devices are also provided, the igniting device 15 being located in the inner space 18 on the device side.

The additional features of the characterising part of independent Claim 1 are described in D2, Fig. 2 (and in D5, Fig. 5): a receptacle 40 which can be engaged in a solvent-tight manner with the manifold block 50 at the end facing the container 22, through which a movable stretching rod 32 is guided in axial extension of the receptacle and to which at least one solvent connection 60 is provided.

The fact that there is at least one solvent connection 60 which can be closed to seal off the inner space 41 located on the device side is a feature necessary for blow forming, in particular explosive forming, and therefore obvious to a person skilled in the art.

The object of the present application, to fashion a

... .. .. .

device for stretch explosive blow moulding in which the portable preform is connected via an adapter to a distributor, so that the simultaneous intake and removal of the explosive gas, the stretching and also the igniting are carried out via the stretching rod itself, is already disclosed in the prior art.

The combination of both documents D3 and D2 or D5 renders obvious all the design features of independent Claim 1. In this respect, no inventive step can be recognised in their combination (PCT Article 33(3)), in particular with the background knowledge of document D1 (general method of explosive forming) and D4 (special equipping of the stretching rod with integrated igniting device and gas supply and removal).

## 2.2. Dependent Claims 2 to 13

The additional features of dependent Claims 2 to 13, in combination with Claim 1, to which they relate, do not make any inventive contribution. The detailed reasons for this are as follows:

The features of Claim 2 are shown in D2, Fig. 2: a receptable 40 which is hollow and has an annular scaling face 57 at the end facing the container 2 through which the stretching rod 32 is guided in axial extension of the receptable 40.

- 2.3 13, Fig. 3, shows the feature of Claim 3: a sealing gent for sealing off the inner space 18 of the device side is a return valve 17.
- 2.4 D4, Fig. 1, shows the features of Claim 4, that the

stretching rod 4 is hollow, equipped with at least
one outlet 5 located at a stretch point, at least
one solvent inlet and
at least one internal channel 3 connecting these.

The application differs in that <u>a return valve (23)</u> is provided, preferably <u>in the area of the outlet 5.</u> However, for a person skilled in the art, it would appear obvious to construct the stretching rod according to D4, with the return valve integrated into the stretching rod along with the igniting device. In view of the objective, this step therefore does not appear to be inventive.

- 2.5 D4, Fig. 1, shows the features of Claim 5 that in the area of the outlet 5,6 an igniting device 7 is located in the hollow stretching rod 4 on the side facing the outlet and is preferably electrically connected with a control unit via <a href="cables (36)">cables (36)</a> running into the hollow stretching rod (11).
- 2.6 D4, Fig. 1, shows the features of Claim 6 that the hollow stretching rod, which can be moved lengthways, is a steel pipe (34) with a cupped stretch point at which the solvent outlet (20) is provided in a hole structure, and that the return valve (23) contains a valve gate (37), preferably carrying a fluidising agent which can be moved against a sealing face (38) fixed to the interior of the steel pipe (34).

A stretching rod made of steel, solvent outlet in a hole structure and the provision of the return valve are, however, considered as conventional practice for a person skilled in the art.

- 2.7 P2, Fig. 2, describes the feature of Claim 7 that the receptable 40 can be moveably driven 20 perpendicular to its longitudinal centre axis.
- 2.8 P2 Fig. 2 describes the feature of Claim 8 that the receptable 40 is extended on the end facing the manifold block 50 to form a service area in which, preferably, a centering device (38) is used.
- 2.9 D2, Fig. 5, shows the features of Claim 9 that a piston 32 is provided in the preferably fixed manifold block 50 and can be moveably driven axially in relation to said block, the piston containing on its external end facing the receptable an annular counter sealing face 57 which fits the receptable.
- 2.10 [6, Fig. 5, shows the feature of Claim 10 that a smaling duct 76 is provided in the manifold block 64 to guide the stretching rod 75 to the hollow piston 46.
- 2.11 Fig. 2 shows the feature of Claim 11 that at least one inlet 17 connected to the dosing unit and one outlet conduit are connected to the manifold block.
- 2.12 Fe, Fig. 3 shows the features of Claim 12 that a return valve 17 is connected to each of the inlets connected to the manifold block and the igniting device 15 is located in the manifold block.
- 2.13 DD, Fig. 2, shows the features of Claim 13 that on its end facing the receptable 40, the hollow piston

50 contains an annular sealing face 57.

The application differs from the prior art in that at its moveable end in the container to be produced the stretching rod 32 does not support any radial expansion square to its longitudinal axis for engagement with the sealing face. However, for a person skilled in the art this appears to be an ordinary measure in the art if the stretching rod at the same time forms a return valve.